

EXTERNAL

INTERNAL

EXTERNAL FINISHES TO
PROJECT SPECIFICATION
(ALSO REFER RECOMMENDED
FINISHES SCHEDULE)

BAR PLACED ALTERNATE
SIDE AT 1500 MAX CTRS

INTERNAL FINISHES TO
PROJECT SPECIFICATION

3) AFS WALL STAGED
COREFILL TO AFS
SPECIFICATIONS

AFS WALL
CONTINUATION

VERTICAL AND HORIZONTAL
REINFORCEMENT TO
PROJECT ENGINEER'S
SPECIFICATION

LAP REINFORCEMENT TO AS 3600

20-40mm FRAME
EXTENSION

REFER HORIZONTAL
JOINT DETAIL
DRG. NO. I 2.1.4

2) SLAB POUR

1) AFS WALL
COREFILL

CONCRETE WALL TO
SLAB COLD JOINT

CONCRETE FLOOR SLAB TO
ENGINEERS DETAILS, BY
OTHERS

SLAB JUNCTION HOB DETAIL



AFS Walling Solutions
PO Box 234, Minto NSW 2566
110 Airds Road, Minto NSW 2566
Phone: 1300 727 237
Fax: 1300 715 237
Web Page: www.afswall.com.au
we put you in front

DRAWING NO

150-I2.1.7

SCALE

1:5

REV NO

A

LOGICWALL®
STRUCTURAL SOLUTION