

EXTERNAL

INTERNAL

CUT FOR EXPANSION JOINT AFTER
SETTING IS COMPLETE (2-4MM
WIDE THROUGH DEPTH OF
SETTING). FILL GROOVE WITH
FLEXIBLE SEALANT, BY OTHERS

JOINT TAPED AND SET
IN ACCORDANCE WITH
MANUFACTURERS
SPECIFICATION,
BY OTHERS

EXTERNAL FINISHES TO
PROJECT'S SPECIFICATION
(REFER RECOMMENDED
FINISHES SCHEDULES)

AFS LOGICALWALL

*NOTE: LOCATIONS FOR SHEET SURFACE JOINTS ARE TO BE NOMINATED BY PROJECT
CONSULTANTS AND ARE REQUIRED NOMINALLY EVERY 6-8 METRES

FIBRE CEMENT SHEET SURFACE JOINT (VERTICAL)



AFS Walling Solutions
PO Box 234, Minto NSW 2566
110 Airds Road, Minto NSW 2566
Phone: 1300 727 237
Fax: 1300 715 237
Web Page: www.afswall.com.au
we put you in front

DRAWING NO

262-I2.4.2

SCALE

1:5

REV NO

A

LOGICWALL®
STRUCTURAL SOLUTION