

EXTERNAL

INTERNAL

EXTERNAL FINISHES TO  
PROJECT SPECIFICATION  
(ALSO REFER RECOMMENDED  
FINISHES SCHEDULE)

3) AFS WALL STAGED  
COREFILL TO AFS  
SPECIFICATIONS

LAP REINFORCEMENT TO AS 3600

REFER HORIZONTAL  
JOINT DETAIL  
DRG. NO. I 2.1.4

2) SLAB POUR

1) AFS WALL  
COREFILL

CONCRETE WALL TO  
SLAB COLD JOINT

BAR PLACED ALTERNATE  
SIDE AT 1500 MAX CTRS

INTERNAL FINISHES TO  
PROJECT SPECIFICATION

AFS WALL  
CONTINUATION

VERTICAL AND HORIZONTAL  
REINFORCEMENT TO  
PROJECT ENGINEER'S  
SPECIFICATION

20-40mm FRAME  
EXTENSION

CONCRETE FLOOR SLAB TO  
ENGINEERS DETAILS, BY  
OTHERS

## SLAB JUNCTION HOB DETAIL



**AFS Walling Solutions**  
PO Box 234, Minto NSW 2566  
110 Airds Road, Minto NSW 2566  
Phone: 1300 727 237  
Fax: 1300 715 237  
Web Page: [www.afswall.com.au](http://www.afswall.com.au)  
**we put you in front**

DRAWING NO

200-I2.1.7

SCALE

1:5

REV NO

A

**LOGICWALL®**  
STRUCTURAL SOLUTION